



## Foamdex

ALKALINE DISINFECTIVE FOAM CLEANER FOR FOOD INDUSTRY

**Follow safety rules. Includes biocide. Read product info sheet before usage!**

**RANGE OF USAGE:**

Cleaning and disinfecting stainless steel, plastic and ceramic working platforms, floors, walls and equipment. Usable with low-pressure washing, in foam washing machines and in brushwashing.

**PROPERTIES:**

Foamdex is a combination of washing, disinfectant and foam forming ingredients. Biodegradable tensides emulsifies effectively grease and protein-stains. At the same time, active chlorine kills bacteria and disinfects the surfaces. Solution forms thick foam which adheres even to vertical surfaces and increases the washing effect. Tested with the following bacteria: *Escherichia coli*, *Staphylococcus aureus*, *Enterococcus hirae*, *Pseudomonas aeruginosa*, *Candida albicans*.

**PACKAGE:**

10l and 25 l plastic canister, 200 l barrel.

**DOSAGE:**

2...4%

**INSTRUCTIONS FOR USAGE:**

Pressure washing: spray 2...4% usage solution on surfaces and let stand 5-15 minutes. Usage solution temperature should be between 20-30°C. Rinse carefully with hot water (60°C).

Foam washing: Pre-rinse surfaces with warm water (30°C). Spray 2...4% usage solution on surfaces and let stand 5-15 minutes. Regulate foam washing machine so that the foam is thick and adheres and coats the surfaces well. Usage solution temperature needs to be between 20-40°C. Rinse carefully with hot water (60°). It is recommended to rinse with washing equipment regular working pressure.

**COMPOSITION:**

sodium hypochlorite (active chlorine) 1-5%, potassium hydroxide <5%, nonionic surfactants 5-15%, polyacrylates <5%, phosphate <5%

**pH:**

pH of the use solution approx. 12

**PRECAUTIONARY MEASURES:**

Concentrate causes severe burns. Avoid contact with eyes and skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and face protection.

**ENVIRONMENT:**

The package is from PE; clean package can be recycled. Transport packaging consists of reusable corrugated board and polyethylene film.

06/2016



AS ESTKO  
Kullerkupu 2, Kangru, Kiili vald  
75403 Harju maakond  
Tel: 679 0312, Faks: 679 0301  
www.estko.ee  
tellimused@estko.ee